

- [13] D. Herrera C., J. Kannala and J. Heikkilä, "Accurate and Practical Calibration of a Depth and Color Camera Pair", *Proceedings of the 14th international conference on Computer analysis of images and patterns (CAIP)*, vol. 2, Seville, 2011, pp. 437-445, http://dx.doi.org/10.1007/978-3-642-23678-5_52.
- [14] J. Han, L. Shao, D. Xu and J. Shotton, "Enhanced Computer Vision with Microsoft Kinect Sensor: A Review", *IEEE Transactions on Cybernetics*, vol. 43, no. 5, 2013, pp. 1318-1334, <http://dx.doi.org/10.1109/TCYB.2013.2265378>.
- [15] T. Mallick, P. Pratim Das and A. K. Majumdar, "Characterizations of Noise in Kinect Depth Images: A Review", *IEEE Sensors Journal*, vol. 14, no. 6, 2014, pp. 1731-1740, <http://dx.doi.org/10.1109/JSEN.2014.2309987>.
- [16] M. Strickland, J. Tremaine, G. Brigley and C. Law, "Using a depth-sensing infrared camera system to access and manipulate medical imaging from within the sterile operating field", *Canadian Journal of Surgery*, vol. 53, no. 3, 2013, pp. E1-E6, <http://dx.doi.org/10.1503/cjs.035311>.
- [17] A. Weiss, D. Hirshberg and M. J. Black, "Home 3D body scans from noisy image and range data", in *IEEE International Conference on Computer Vision (ICCV)*, 2011, pp. 1951-1958, <http://dx.doi.org/10.1109/ICCV.2011.6126465>.
- [18] J. Tong, J. Zhou, L. Liu, Z. Pan and H. Yan, "Scanning 3D Full Human Bodies Using Kinects", *IEEE Transactions on Visualization and Computer Graphics*, vol. 18, no. 4, 2012, pp. 634-640, <http://dx.doi.org/10.1109/TVCG.2012.56>.
- [19] S. Izadi, D. Kim, O. Hilliges, D. Molyneaux, R. Newcombe, P. Kohli, J. Shotton, S. Hodges, D. Freeman, A. Davison and A. Fitzgibbon, "KinectFusion: Real-time 3D Reconstruction and Interaction Using a Moving Depth Camera", in *ACM Symposium on User Interface Software and Technology*, 2011 pp. 559-568, <http://dx.doi.org/10.1145/2047196.2047270>.
- [20] H. Li, E. Vouga, A. Gudym, L. Luo, J. T. Barron and G. Gusev, "3d self-portraits", *ACM Transactions on Graphics (TOG)*, vol. 32, no. 6, 2013, pp. 187, <http://dx.doi.org/10.1145/2508363.2508407>.
- [21] P. Patete, M. Riboldi, M. Spadea, G. Catanuto, A. Spano, M. Nava and G. Baroni, "Motion compensation in hand-held laser scanning for surface modeling in plastic and reconstructive surgery", *Annals of Biomedical Engineering*, vol. 37, no. 9, 2009, pp. 1877-1885, <http://dx.doi.org/10.1007/s10439-009-9752-8>.
- [22] J. Feldmar and N. Ayache, "Rigid, affine and locally affine registration of free-form surfaces", *International journal of computer vision*, vol. 18, no. 2, 1996, pp. 99-119, <http://dx.doi.org/10.1007/BF00054998>.
- [23] P. Yang and X. Qian, "Direct computing of surface curvatures for point-set surfaces", in *the Proceedings of the Eurographics Symposium on Point-Based Graphics*, 2007, pp. 29-36.
- [24] R. Toldo, A. Beinat and F. Crosilla, "Global registration of multiple point clouds embedding the generalized procrustes analysis into an icp framework", in *the Proceedings of the 3DPTV Conference*, 2010, pp. 1-8.